

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1570	(bill\$4 or charg\$4) adj3 usage\$2	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 16:58
S2	334	(bill\$4 or charg\$4) adj3 usage\$2 and gateway	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 16:58
S3	238	(bill\$4 or charg\$4) adj3 usage\$2 and gateway and monitor	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 16:58
S4	71	(bill\$4 or charg\$4) adj3 usage\$2 and monitor same gateway	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 16:58
S5	71	(bill\$4 or charg\$4) adj3 usage\$2 and (monitor same gateway)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 16:58
S6	2	("5615323").PN.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/21 15:19
S7	1163	(709/229).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:22
S8	1568	(709/223).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:22
S9	1902	(709/224).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:22
S10	845	(709/225).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:22
S11	17	((709/229).CCLS.) and ((709/223).CCLS.) and ((709/224).CCLS.) and ((709/225).CCLS.)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:22

S12	4349	((709/229).CCLS.) or ((709/223).CCLS.) or ((709/224).CCLS.) or ((709/225).CCLS.)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:22
S13	12	(("6664978") or ("5742762") or ("6744780") or ("6167403") or ("6687748") or ("6047279")).PN.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:33
S14	31	((monitor\$4) adj2 gateway\$2).ab,ti.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:54
S15	23	((monitor\$4) adj2 gateway\$2).ab,ti.) and (network or SNMP)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:43
S16	0	((monitor\$4) adj2 gateway\$2).ab,ti.) and (SNMP)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:44
S17	0	((monitor\$4) adj2 gateway\$2).ab.) and (SNMP)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:44
S18	118	((monitor\$4) adj2 gateway\$2)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:55
S19	0	(monitor\$4) adj2 gateway\$2 adj usage\$2	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:55
S20	0	(monitor\$4) adj2 gateway\$2 with usage\$2	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:55
S21	10	((monitor\$4) adj2 gateway\$2) and ((709/229).CCLS.) or ((709/223).CCLS.) or ((709/224).CCLS.) or ((709/225).CCLS.))	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:59
S22	1327	"network gateway"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:59
S23	0	(montior ) same "network gateway"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:59

S24	72	(monitor\$4 ) same "network gateway"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 11:59
S25	30	(monitor\$4) with "network gateway"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:00
S26	1304	(709/229).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 13:44
S27	1755	(709/223).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 13:44
S28	2114	(709/224).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 13:44
S29	963	(709/225).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 13:44
S30	23	((709/229).CCLS.) and ((709/223).CCLS.) and ((709/224).CCLS.) and ((709/225).CCLS.)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 13:44
S31	4836	S26 or S27 or S28 or S29 or S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 13:44
S32	155	S31 and network adj2 gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 13:45
S33	3	S31 and network adj2 gateway with monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 13:45

S34	8	S31 and network adj2 gateway with monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 13:46
S35	3	("6513129").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:19
S36	6809	monitor\$4 with (gateway or router or bridge) and @ad<="20010529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:19
S38	778	monitor\$4 with (gateway or router or bridge) with process\$4 and @ad<="20010529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:48
S39	4	monitor\$4 with (gateway or router or bridge) with process\$4 same (network near2 element) and @ad<="20010529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:20
S40	129	(monitor\$4 with (gateway or router or bridge) with process\$4). ab. and @ad<="20010529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:52
S41	104	(monitor\$4 with (gateway or router or bridge) with perform\$4). ab. and @ad<="20010529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 10:49
S42	236	(monitor\$4 with (gateway or router or bridge) with (perform\$4 or process\$4 or memory)).ab. and @ad<="20010529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 10:49
S43	178	(monitor\$4 with (gateway or router or bridge) with (perform\$4 or process\$4 or memory)).ab. and @ad<="20010529"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 10:50
S44	18	(monitor\$4 with (gateway or router or bridge) with (perform\$4 or process\$4 or memory) same management).ab. and @ad<="20010529"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 10:58

S45	15	(monitor\$4 with (gateway or router or bridge) with (perform\$4 and process\$4)).ab. and @ad<="20010529"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 11:01
S46	14	S45 not S44	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 10:58
S47	135	(monitor\$4 with (gateway or router or bridge) with (perform\$4 and process\$4)) and @ad<="20010529"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 11:07
S48	121	S47 not S46	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 11:02
S49	0	(monitor\$4 with (gateway or router or bridge) with (perform\$4 and process\$4) same SNMP) and @ad<="20010529"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 11:07
S50	34	(monitor\$4 with (gateway or router or bridge) with (perform\$4 and process\$4) and SNMP) and @ad<="20010529"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/29 11:07